

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: April 11, 2017

Revision: April 11, 2017

1 Identification

[•] Product identifier

Trade name: Touch 'n Seal Mine Foam Kit 180, 200, RF-17 Part B

· Product code: EHS 2322 B

· Recommended use and restriction on use

· Recommended use: Polyurethane-sealant

· Restrictions on use: No relevant information available.

Details of the supplier of the Safety Data Sheet Manufacturer/Supplier: Convenience Products 866 Horan Drive Pacific, MO 63026 Phone: 636-349-5855 Toll-Free: 1-800-325-6180

• Emergency telephone number: ChemTel Inc. (800)255-3924 (North America) +1 (813)248-0585 (International)

2 Hazard(s) identification

[•] Classification of the substance or mixture

Press. Gas H280 Contains gas under pressure; may explode if heated. Acute Tox. 4 H302 Harmful if swallowed.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

Muta. 1B H340 May cause genetic defects.

Repr. 2 H361 Suspected of damaging fertility or the unborn child.

STOT SE 3 H335 May cause respiratory irritation.

Label elements

 • GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
 • Hazard pictograms:



Signal word: Danger
Hazard statements:
H280 Contains gas under pressure; may explode if heated.
H302 Harmful if swallowed.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H340 May cause genetic defects.
H361 Suspected of damaging fertility or the unborn child.

(Cont'd. on page 2)



acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: April 11, 2017

Revision: April 11, 2017

Trade name: Touch 'n Seal Mine Foam Kit 180, 200, RF-17 Part B (Cont'd. of page 1) H335 May cause respiratory irritation. · Precautionary statements: P201 Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. P202 P233 Keep container tightly closed. P261 Avoid breathing mist, vapors, or spray. Wash thoroughly after handling. P264 Do not eat, drink or smoke when using this product. P270 Use only outdoors or in a well-ventilated area. P271 P280 Wear protective gloves/protective clothing/eye protection. IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P301+P312 P302+P352 IF ON SKIN: Wash with plenty of soap and water. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308+P313 IF exposed or concerned: Get medical advice/attention. P330 Rinse mouth. P332+P313 If skin irritation occurs: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention. P362+P364 Take off contaminated clothing and wash it before reuse. P405 Store locked up. P410+P403 Protect from sunlight. Store in a well-ventilated place. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. Other hazards There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

	Polyether polyol	25-50%
	🚸 Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	-
811-97-2	Norflurane Press. Gas, H280 Simple Asphyxiant	10-25%
68441-62-3	halogenated aliphatic polyether polyol 🚯 Acute Tox. 4, H302; Eye Irrit. 2A, H319	10-25%
13674-84-5	tris(2-chlorisopropyl)-phosphate Acute Tox. 4, H302	10-20%
756-79-6	dimethyl methylphosphonate Muta. 1B, H340; Repr. 2, H361 Eye Irrit. 2A, H319	<10%
	halogenated hydrocarbon Flam. Liq. 2, H225 Acute Tox. 4, H332	<10%

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. (Cont'd. on page 3)



acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: April 11, 2017

Revision: April 11, 2017

(Cont'd. of page 2)

Trade name: Touch 'n Seal Mine Foam Kit 180, 200, RF-17 Part B

For the wording of the listed Hazard Statements refer to section 16.

4 First-aid measures

Description of first aid measures After inhalation: Supply fresh air; consult doctor in case of complaints. Provide oxygen treatment if affected person has difficulty breathing. After skin contact: Do not pull solidified product away from the skin. Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor. After eye contact: Remove contact lenses if worn. Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. After swallowing: Unlikely route of exposure. Rinse out mouth and then drink plenty of water. Do not induce vomiting; immediately call for medical help. Most important symptoms and effects, both acute and delayed: Headache Coughing Dizziness Breathing difficulty May cause respiratory irritation. Irritant to skin and mucous membranes. Causes eye irritation. Irritant to skin and mucous membranes. Causes eye irritation. Harmful if swallowed. Suspected of damaging fertility or the unborn child. May cause genetic defects. May cause genetic defects.
Indication of any immediate medical attention and special treatment needed:

5 Fire-fighting measures

• Extinguishing media

· Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray.

• For safety reasons unsuitable extinguishing agents: None.

Special hazards arising from the substance or mixture

Danger of receptacles bursting because of high vapor pressure if heated.

Formation of toxic gases is possible during heating or in case of fire.

(Cont'd. on page 4)





acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: April 11, 2017

Revision: April 11, 2017

Trade name: Touch 'n Seal Mine Foam Kit 180, 200, RF-17 Part B

(Cont'd. of page 3)

Advice for firefighters

· Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

• Additional information: Cool endangered receptacles with water spray.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Use respiratory protective device against the effects of fumes/dust/aerosol. Ensure adequate ventilation. Wear protective equipment. Keep unprotected persons away. Environmental precautions De pet allow undiluted preduct or large quantities of it to reach ground water under a large quantities.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Methods and material for containment and cleaning up

Allow to solidify. Pick up mechanically.

Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

[·] Handling

· Precautions for safe handling:

Use only in well ventilated areas.

Keep out of reach of children.

Avoid contact with the eyes and skin.

Information about protection against explosions and fires:

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 120 °F / 49 °C, i.e. electric lights. Do not pierce or burn, even after use.

Do not spray on a naked flame or any incandescent material.

[•] Conditions for safe storage, including any incompatibilities

- · Storage
- · Requirements to be met by storerooms and receptacles:

Observe official regulations on storing packagings with pressurized containers.

Avoid storage near extreme heat, ignition sources or open flame.

· Information about storage in one common storage facility:

Store away from foodstuffs.

Do not store together with oxidizing and acidic materials.

• Further information about storage conditions:

Store in a cool place. Heat will increase pressure and may lead to the receptacle bursting.

(Cont'd. on page 5)



acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: April 11, 2017

Revision: April 11, 2017

Trade name: Touch 'n Seal Mine Foam Kit 180, 200, RF-17 Part B

(Cont'd. of page 4)

• Specific end use(s) No relevant information available.

8 Exposure controls/personal protection

· Control parameters		
· Components w	vith limit values that require monitoring at the workplace:	
811-97-2 Norflu	urane	
WEEL (USA)	Long-term value: 1000 ppm	
halogenated hy	-	
PEL (USA)	Long-term value: 790 mg/m³, 200 ppm	
REL (USA)	Long-term value: 790 mg/m³, 200 ppm	
TLV (USA)	Long-term value: 790 mg/m³, 200 ppm	
EL (Canada)	Long-term value: 200 ppm	
EV (Canada)	Short-term value: 990 mg/m³, 250 ppm Long-term value: 790 mg/m³, 200 ppm	
LMPE (Mexico)	Long-term value: 200 ppm	
General protec The usual preca Keep away from Immediately rem Pregnant wome Wash hands be Avoid contact wi Engineering co Breathing equi Use suitable res	spiratory protective device in case of insufficient ventilation. spiratory protective device when high concentrations are present.	
Protecti	tive gloves	
The glove mater • Eye protection:	erial has to be impermeable and resistant to the product/ the substance/ the pre	eparation.
Safety g	glasses	
Limitation and	on: Protective work clothing Id supervision of exposure into the environment ormation available.	

(Cont'd. on page 6)



acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: April 11, 2017

Revision: April 11, 2017

Trade name: Touch 'n Seal Mine Foam Kit 180, 200, RF-17 Part B

(Cont'd. of page 5)

• **Risk management measures** No relevant information available.

9 Physical and chemical properties Information on basic physical and chemical properties · Appearance: Form: Aerosolized liquid with compressed gas in cylinders Color: Not determined. · Odor: Sweet · Odor threshold: Not determined. Not determined. · pH-value: • Melting point/Melting range: Not determined. -26 °C (-15 °F) · Boiling point/Boiling range: · Flash point: Not applicable, as aerosol. · Flammability (solid, gaseous): Not applicable. >260 °C (>500 °F) • Auto-ignition temperature: · Decomposition temperature: Not determined. Danger of explosion: Product does not present an explosion hazard. · Explosion limits Lower: Not determined. Not determined. Upper: · Vapor pressure at 20 °C (68 °F): 5716 hPa (4287 mm Hg) · Density: **Relative density:** Not determined. Vapor density: Not determined. **Evaporation rate:** Not applicable. · Solubility in / Miscibility with Water: Fully miscible. · Partition coefficient (n-octanol/water): Not determined. · Viscosity **Dynamic:** Not determined. **Kinematic:** Not determined. VOC content: 32.0 g/l Other information No relevant information available.

10 Stability and reactivity

· Reactivity: No relevant information available.

· Chemical stability: Stable under normal temperatures and pressures.

(Cont'd. on page 7)

Page: 6/11



acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: April 11, 2017

Revision: April 11, 2017

Trade name: Touch 'n Seal Mine Foam Kit 180, 200, RF-17 Part B (Cont'd. of page 6) · Thermal decomposition / conditions to be avoided: Danger of receptacles bursting because of high vapor pressure if heated. [•] Possibility of hazardous reactions Reacts with catalysts. Reacts with peroxides. Reacts with strong acids and oxidizing agents. Exothermic polymerization. · Conditions to avoid Excessive heat. · Incompatible materials Oxidizers · Hazardous decomposition products Carbon monoxide and carbon dioxide Halogenated hydrocarbons Phosphorus compounds Nitrogen oxides (NOx) Chlorine compounds Poisonous gases/vapors 11 Toxicological information Information on toxicological effects · Acute toxicity: · LD/LC50 values that are relevant for classification: 68441-62-3 halogenated aliphatic polyether polyol Oral LD50 1337 mg/kg (rat) 13674-84-5 tris(2-chlorisopropyl)-phosphate Oral LD50 1101 mg/kg (rat) Primary irritant effect: · On the skin: Irritant to skin and mucous membranes. · On the eye: Irritating effect. · Sensitization: Based on available data, the classification criteria are not met. · IARC (International Agency for Research on Cancer): None of the ingredients are listed. · NTP (National Toxicology Program): None of the ingredients are listed. **OSHA-Ca** (Occupational Safety & Health Administration): None of the ingredients are listed. · Probable route(s) of exposure: Inhalation. Eye contact. Skin contact. · Acute effects (acute toxicity, irritation and corrosivity): Harmful if swallowed. Irritating to eyes, respiratory system and skin. · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Muta. 1B, Repr. 2

(Cont'd. on page 8)



acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: April 11, 2017

Revision: April 11, 2017

Trade name: Touch 'n Seal Mine Foam Kit 180, 200, RF-17 Part B

(Cont'd. of page 7)

· Germ cell mutagenicity: May cause genetic defects.

· Carcinogenicity: Based on available data, the classification criteria are not met.

• Reproductive toxicity: Suspected of damaging fertility or the unborn child.

• STOT-single exposure: May cause respiratory irritation.

• STOT-repeated exposure: Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.

• Toxicity	
• Aquatic toxicity	
The product contain	ns materials that are harmful to the environment.
13674-84-5 tris(2-0	chlorisopropyl)-phosphate
LC50 51 mg/l (pim	ephales promelas)
EC50 131 mg/l (da	iphnia)
Bioaccumulative	degradability The product is partially biodegradable. Significant residuals remain. potential: No relevant information available. o relevant information available. ts:
	echanical actions of the product (e.g. agglutinations), damages may occur.
General notes:	
Do not allow undilusystem.	uted product or large quantities of it to reach ground water, water course or sewag
damage of the envi	data on eliminability/decomposition and bioaccumulation potential prolonged ter ronment can not be excluded.
Results of PBT a	and vPvB assessment
PBT: Not applicabl	
vPvB: Not applicate	

13 Disposal considerations

[·] Waste treatment methods

· Recommendation:

Contact waste processors for recycling information.

Can be disposed of with household garbage after solidification following consultation with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

(Cont'd. on page 9)



acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: April 11, 2017

Revision: April 11, 2017

Trade name: Touch 'n Seal Mine Foam Kit 180, 200, RF-17 Part B

(Cont'd. of page 8)

[·] Uncleaned packagings

• Recommendation: Disposal must be made according to official regulations.

UN-Number	
DOT, ADR, IMDG, IATA	UN3500
UN proper shipping name	
DOT, IATA	Chemical under pressure, n.o.s. (Fluorina
ADR, IMDG	hydrocarbon, Nitrogen) CHEMICAL UNDER PRESSURE, N.O (FLUORINATED HYDROCARBON, NITROGEN)
Transport hazard class(es)	
DOT	
and the second se	
Class	2.2
Label	2.2
ADR	
	
Class	2 8A Gases
Label	2.2
IMDG, IATA	
V	
Class	2 Gases
Label	2.2
Packing group	This UN-number is not assigned a packing group.
Environmental hazards	
Marine pollutant:	No
Special precautions for user	Warning: Gases
Danger code (Kemler): EMS Number:	20 F-C,S-V





acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: April 11, 2017

Revision: April 11, 2017

Trade name: Touch 'n Seal Mine Foam Kit 180, 200, RF-17 Part B

(Cont'd. of page 9)

 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

15 Regulatory information

 Safety, health and environmental regulations/legislation specific mixture United States (USA) SARA 	for the substance or
 Section 302 (extremely hazardous substances): 	
None of the ingredients are listed.	
· Section 355 (extremely hazardous substances):	
None of the ingredients are listed.	
· Section 313 (Specific toxic chemical listings):	
None of the ingredients are listed.	
· TSCA (Toxic Substances Control Act)	
All ingredients are listed.	
· Proposition 65 (California)	
· Chemicals known to cause cancer:	
None of the ingredients are listed.	
• Chemicals known to cause reproductive toxicity for females:	
None of the ingredients are listed.	
• Chemicals known to cause reproductive toxicity for males:	
None of the ingredients are listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients are listed.	
· Carcinogenic categories	
· EPA (Environmental Protection Agency):	
halogenated hydrocarbon	Ш
· IARC (International Agency for Research on Cancer):	
None of the ingredients are listed.	
 NIOSH-Ca (National Institute for Occupational Safety and Health): 	
None of the ingredients are listed.	
· Canadian Domestic Substances List (DSL):	
All ingredients are listed.	
	(Cont'd on page 11)

(Cont'd. on page 11)



Safety Data Sheet acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: April 11, 2017

Γ

Revision: April 11, 2017

Trade name: Touch 'n Seal Mine Foam Kit 180, 200, RF-17 Part B

(Cont'd. of page 10)

Other in	ormation
	ation is based on our present knowledge. However, this shall not constitute a guarantee for a duct features and shall not establish a legally valid contractual relationship.
Date of pr	eparation / last revision April 11, 2017 / -
LDLo: Lowes ADR: Europe IMDG: Intern DOT: US De IATA: Interna CAS: Chemid LC50: Lethal LD50: Lethal LD50: Lethal PBT: Persiste vPvB: very P NIOSH: Natio OSHA: Occu Press. Gas: 0 Flam. Liq. 2: Acute Tox. 4: Skin Irrit. 2: S Eye Irrit. 2A: Muta. 1B: Ge Repr. 2: Rep STOT SE 3: Sources Website, E Website, E Website, I overview/h Website, O Patty's Ind Casarett a 978-0-07-1	hemical Abstracts Registry, American Chemical Society (www.cas.org) ustrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 nd Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISE 76923-5. a Sheets, Individual Manufacturers
Tampa, Fle Toll Free N	