Page: 1/13

# **Safety Data Sheet**

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 03/14/2016 Revision: 03/14/2016

### 1 Identification

· Product identifier

· Trade name: Touch 'n Seal Quick Cure High Yield Straw Foam

Product code: EHS 9464 FLAM

· Recommended use and restriction on use

· Recommended use: Sealant

· Restrictions on use: See Sections 8 and 10 for further information.

Details of the supplier of the Safety Data Sheet

· Manufacturer/Supplier:

Convenience Products, Foam Products Division

866 Horan Drive

Fenton, MO 63026-2614 Phone: 636-349-5855 Toll-Free: 1-800-325-6180

· Emergency telephone number:

ChemTel Inc.

+1 (800)255-3924, +1 (813)248-0585



## 2 Hazard(s) identification

### · Classification of the substance or mixture

Flam. Aerosol 2 H223 Flammable aerosol.

Press. Gas H280 Contains gas under pressure; may explode if heated.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Carc. 2 H351 Suspected of causing cancer. STOT SE 3 H335 May cause respiratory irritation.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms:









GHS02 GHS04 GHS07 GHS08

· Signal word: Danger

· Hazard-determining components of labeling:

diphenylmethanediisocyanate,isomeres and homologues

tris[2-chloro-1-chloromethyl)ethyl] phosphate

4,4'-methylenediphenyl diisocyanate

(Cont'd. on page 2)

Page: 2/13

# **Safety Data Sheet**

## acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 03/14/2016 Revision: 03/14/2016

Trade name: Touch 'n Seal Quick Cure High Yield Straw Foam

(Cont'd. of page 1)

#### · Hazard statements:

H223 Flammable aerosol.

H280 Contains gas under pressure; may explode if heated.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H317 May cause an allergic skin reaction.

H351 Suspected of causing cancer.

H335 May cause respiratory irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

### Precautionary statements:

•	Precautionary Sta	dements:
	P201	Obtain special instructions before use.
	P202	Do not handle until all safety precautions have been read and understood.
	P210	Keep away from heat/sparks/open flames/hot surfaces. No smoking.
	P251	Pressurized container: Do not pierce or burn, even after use.
	P260	Do not breathe mist/vapors/spray.
	P284	In case of inadequate ventilation wear respiratory protection.
	P211	Do not spray on an open flame or other ignition source.
	P264	Wash thoroughly after handling.
	P280	Wear protective gloves and eye protection.
	P271	Use only outdoors or in a well-ventilated area.
	P272	Contaminated work clothing must not be allowed out of the workplace.
	P305+P351+P338	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if
		present and easy to do. Continue rinsing.
	P302+P352	IF ON SKIN: Wash with plenty of water.
	P342+P311	If experiencing respiratory symptoms: Call a POISON CENTER/doctor.
	P304+P341	If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for
		breathing.
	P312	Call a POISON CENTER/doctor if you feel unwell.
	P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
	P337+P313	If eye irritation persists: Get medical advice/attention.
	P308+P313	IF exposed or concerned: Get medical advice/attention.
	P362+P364	Take off contaminated clothing and wash it before reuse.
	P405	Store locked up.
	P410+P403	Protect from sunlight. Store in a well-ventilated place.
	P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.
	P403+P233	Store in a well-ventilated place. Keep container tightly closed.

Dispose of contents/container in accordance with local/regional/national/international

### Other hazards

P501

There are no other hazards not otherwise classified that have been identified.

0 % of the mixture consists of component(s) of unknown toxicity.

regulations.

(Cont'd. on page 3)

Page: 3/13

# **Safety Data Sheet**

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 03/14/2016 Revision: 03/14/2016

Trade name: Touch 'n Seal Quick Cure High Yield Straw Foam

(Cont'd. of page 2)

## 3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Componen	ts:	
9016-87-9	diphenylmethanediisocyanate,isomeres and homologues  Resp. Sens. 1, H334; STOT RE 2, H373  Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335	_ 25-40%
101-68-8	4,4'-methylenediphenyl diisocyanate  Resp. Sens. 1, H334; STOT RE 2, H373 Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335	10-20%
13674-84-5	tris(2-chlorisopropyl)-phosphate  Acute Tox. 4, H302	10-20%
74-98-6	propane Flam. Gas 1, H220 Press. Gas, H280	5-<10%
75-28-5	isobutane Flam. Gas 1, H220 Press. Gas, H280	5-<10%
13674-87-8	tris[2-chloro-1-chloromethyl)ethyl] phosphate  © Carc. 2, H351	5-<10%
156-60-5	trans-dichloroethylene Flam. Liq. 2, H225 Acute Tox. 4, H332	2.5-5%

### Additional information:

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements refer to section 16.

## 4 First-aid measures

- Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Take affected persons out into the fresh air.

After inhalation:

Supply fresh air; consult doctor in case of complaints.

Provide oxygen treatment if affected person has difficulty breathing.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

Do not pull solidified product away from the skin.

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

(Cont'd. on page 4)

# **Safety Data Sheet**

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 03/14/2016 Revision: 03/14/2016

Trade name: Touch 'n Seal Quick Cure High Yield Straw Foam

(Cont'd. of page 3)

### · After eye contact:

Remove contact lenses if worn, if possible.

Rinse opened eye for several minutes under running water. Then consult a doctor.

#### · After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

### Most important symptoms and effects, both acute and delayed:

Asthma attacks

Headache

Breathing difficulty

Allergic reactions

Coughing

Nausea

Gastric or intestinal disorders when ingested.

Irritant to skin and mucous membranes.

Irritant to eyes.

Dizziness

Disorientation

### · Danger:

Danger of impaired breathing.

Danger of disturbed cardiac rhythm.

Danger of pneumonia.

Danger of pulmonary edema.

Danger of convulsion.

## Indication of any immediate medical attention and special treatment needed:

Severe allergic skin reaction, bronchial spasms and anaphylactic shock are possible.

Treat skin and mucous membrane with antihistamine and corticoid preparations.

In cases of irritation to the lungs, initial treatment with cortical steroid inhalants.

Monitor circulation.

If necessary oxygen respiration treatment.

Medical supervision for at least 48 hours.

Contains isocyanates. May produce an allergic reaction.

## 5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Water in flooding quantities.

- · For safety reasons unsuitable extinguishing agents: None.
- Special hazards arising from the substance or mixture

Danger of receptacles bursting because of high vapor pressure if heated.

During heating or in case of fire poisonous gases are produced.

- Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

(Cont'd. on page 5)

Page: 5/13

# **Safety Data Sheet**

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 03/14/2016 Revision: 03/14/2016

Trade name: Touch 'n Seal Quick Cure High Yield Straw Foam

(Cont'd. of page 4)

· Additional information: Cool endangered receptacles with water spray.

### 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Use respiratory protective device against the effects of fumes/dust/aerosol.

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation.

Protect from heat.

Isolate area and prevent access.

Keep people at a distance and stay upwind.

- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Allow to solidify. Pick up mechanically.

Send for recovery or disposal in suitable receptacles.

Dispose contaminated material as waste according to item 13.

Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

- Handling
- Precautions for safe handling:

Keep away from heat and direct sunlight.

Use only in well ventilated areas.

Information about protection against explosions and fires:

Keep respiratory protective device available.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 120 °F / 49 °C,

i.e. electric lights. Do not pierce or burn, even after use.

Do not spray on a naked flame or any incandescent material.

- · Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles:

Store in a cool location.

Observe official regulations on storing packagings with pressurized containers.

Provide ventilation for receptacles.

Avoid storage near extreme heat, ignition sources or open flame.

Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidizing agents.

Further information about storage conditions:

Protect from heat and direct sunlight.

Store in a cool place. Heat will increase pressure and may lead to the receptacle bursting.

(Cont'd. on page 6)

Page: 6/13

# **Safety Data Sheet**

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 03/14/2016 Revision: 03/14/2016

Trade name: Touch 'n Seal Quick Cure High Yield Straw Foam

(Cont'd. of page 5)

· **Specific end use(s):** No relevant information available.

## 8 Exposure controls/personal protection

· Control paran	
•	rith limit values that require monitoring at the workplace:
101-68-8 4,4'-m	ethylenediphenyl diisocyanate
PEL (USA)	Ceiling limit value: 0.2 mg/m³, 0.02 ppm
REL (USA)	Long-term value: 0.05 mg/m³, 0.005 ppm Ceiling limit value: 0.2* mg/m³, 0.02* ppm *10-min
TLV (USA)	Long-term value: 0.051 mg/m³, 0.005 ppm
EL (Canada)	Long-term value: 0.005 ppm Ceiling limit value: 0.01 ppm Skin; S
EV (Canada)	Long-term value: 0.005 ppm Ceiling limit value: 0.02 ppm
LMPE (Mexico)	Long-term value: 0.005 ppm
74-98-6 propan	e
PEL (USA)	Long-term value: 1800 mg/m³, 1000 ppm
REL (USA)	Long-term value: 1800 mg/m³, 1000 ppm
TLV (USA)	refer to Appendix F inTLVs and BEIs book
EL (Canada)	Long-term value: 1000 ppm
EV (Canada)	Long-term value: 1000 ppm
LMPE (Mexico)	Long-term value: 1000 ppm
75-28-5 isobuta	ane
TLV (USA)	Short-term value: 2370 mg/m³, 1000 ppm
EV (Canada)	Long-term value: 800 ppm
LMPE (Mexico)	Long-term value: 1000 ppm
156-60-5 trans-	dichloroethylene
PEL (USA)	Long-term value: 790 mg/m³, 200 ppm
REL (USA)	Long-term value: 790 mg/m³, 200 ppm
TLV (USA)	Long-term value: 793 mg/m³, 200 ppm
EL (Canada)	Long-term value: 200 ppm
EV (Canada)	Short-term value: 990 mg/m³, 250 ppm Long-term value: 790 mg/m³, 200 ppm
LMPE (Mexico)	Long-term value: 200 ppm

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

(Cont'd. on page 7)

Page: 7/13

# **Safety Data Sheet**

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 03/14/2016 Revision: 03/14/2016

Trade name: Touch 'n Seal Quick Cure High Yield Straw Foam

(Cont'd. of page 6)

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols. Avoid contact with the eyes and skin.

Clean skin thoroughly immediately after handling the product.

- · Engineering controls: No relevant information available.
- · Breathing equipment:



Combined Organic Vapor and Particulate Respirator is recommended for use during all processing activities.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eve protection:



Safety glasses

- · Body protection: Protective work clothing
- Limitation and supervision of exposure into the environment

Avoid release to the environment.

Risk management measures See Section 7 for additional information.

## 9 Physical and chemical properties

Information on basic physical and chemical properties

· Appearance:

Form: Aerosol
Color: Amber colored

· Odor: Light

Petroleum-like

· Odor threshold: Not determined.

(Cont'd. on page 8)

Page: 8/13

# **Safety Data Sheet**

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 03/14/2016 Revision: 03/14/2016

Trade name: Touch 'n Seal Quick Cure High Yield Straw Foam

	(Cont'd. of page 7)
· pH-value: · Melting point/Melting range: · Boiling point/Boiling range:	Not determined. Not determined26 °C (-15 °F)
· Flash point:	Not applicable, as aerosol.
· Flammability (solid, gaseous):	Not applicable.
· Auto-ignition temperature:	Not determined.
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not self-igniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/ vapor mixtures are possible.
· Explosion limits Lower: Upper:	Not determined. Not determined.
· Vapor pressure:	Not determined.
Density at 20 °C (68 °F): Relative density: Vapor density: Evaporation rate:	1.02 g/cm³ (8.512 lbs/gal) Not determined. Not determined. Not applicable.
· Solubility in / Miscibility with Water:	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/wat	er): Not determined.
· Viscosity Dynamic: Kinematic: VOC (California): · Other information	Not determined. Not determined. 0 g/L (EPA Method 24) No relevant information available.

# 10 Stability and reactivity

- · Reactivity: No relevant information available.
- Chemical stability:
- · Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

· Possibility of hazardous reactions:

Develops readily flammable gases / fumes.

Reacts with oxidizing agents.

Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomized.

Contact with acids releases toxic gases.

Danger of receptacles bursting because of high vapor pressure if heated.

(Cont'd. on page 9)

Page: 9/13

# **Safety Data Sheet**

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 03/14/2016 Revision: 03/14/2016

Trade name: Touch 'n Seal Quick Cure High Yield Straw Foam

(Cont'd. of page 8)

· Conditions to avoid:

Keep ignition sources away - Do not smoke.

Store away from oxidizing agents.

- Incompatible materials: No relevant information available.
- · Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Nitrogen oxides (NOx)

Hydrogen cyanide (prussic acid)

Phosphorus oxides (e.g. P2O5)

Chlorine

## 11 Toxicological information

- Information on toxicological effects
- · Acute toxicity:

Additionally.			
· LD/LC50 values that are relevant for classification:			
101-68-8 4,4'-methylenediphenyl diisocyanate			
Oral	LD50	2200 mg/kg (mouse)	
13674-87-8 tris[2-chloro-1-chloromethyl)ethyl] phosphate			
Oral	LD50	>2000 mg/kg (rat)	
Dermal	LD50	>2000 mg/kg (rabbit)	

- Primary irritant effect:
- · On the skin: Irritant to skin and mucous membranes.
- · On the eye: Irritating effect.
- Sensitization: May cause sensitisation by inhalation and skin contact.
- · Subacute to chronic toxicity:

Inhalation of concentrated vapors as well as oral intake will lead to anaesthesia-like conditions and headache, dizziness, etc.

- IARC (International Agency for Research on Cancer):
- 9016-87-9 diphenylmethanediisocyanate, isomeres and homologues

101-68-8 4,4'-methylenediphenyl diisocyanate

· NTP (National Toxicology Program):

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

- · Acute effects (acute toxicity, irritation and corrosivity): No relevant information available.
- · Repeated dose toxicity: Repeated exposure may cause skin dryness or cracking.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Carc. 2

- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Suspected of causing cancer.
- · Reproductive toxicity: May damage fertility or the unborn child.
- · **STOT-single exposure**: May cause respiratory irritation.
- · STOT-repeated exposure: May cause damage to organs through prolonged or repeated exposure.

(Cont'd. on page 10)

Page: 10/13

# **Safety Data Sheet**

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 03/14/2016 Revision: 03/14/2016

Trade name: Touch 'n Seal Quick Cure High Yield Straw Foam

(Cont'd. of page 9)

Aspiration hazard: Based on available data, the classification criteria are not met.

## 12 Ecological information

- · Toxicity
- Aquatic toxicity

The product contains materials that are harmful to the environment.

## 13674-87-8 tris[2-chloro-1-chloromethyl)ethyl] phosphate

LC50 1.1 mg/l (Oncorhynchus mykiss)

- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- · Mobility in soil: No relevant information available.
- Ecotoxical effects:
- · Remark: Harmful to fish
- · Additional ecological information
- · General notes:

Avoid transfer into the environment.

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Harmful to aquatic organisms

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

- Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects: No relevant information available.

## 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Contact waste processors for recycling information.

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Can be disposed of with household garbage after solidification following consultation with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

- Uncleaned packagings
- · Recommendation: Disposal must be made according to official regulations.

### 14 Transport information

- · UN-Number
- · DOT, ADR, IMDG, IATA UN1950

(Cont'd. on page 11)

Page: 11/13

# **Safety Data Sheet**

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 03/14/2016 Revision: 03/14/2016

Trade name: Touch 'n Seal Quick Cure High Yield Straw Foam

(Cont'd. of page 10) · UN proper shipping name Limited Quantity for packages less than 30 kg (66 lb) and inner packagings less than 1 L (0.3 gal). · DOT Aerosols · ADR 1950 AEROSOLS ·IMDG **AEROSOLS** · IATA Aerosols, flammable Transport hazard class(es) · DOT · Class 2.1 · Label 2.1 · ADR · Class 2 5F Gases · Label 2.1 ·IMDG · Class 2 Gases · Label 2.1 · IATA 2.1 · Class · Label 2.1 · Packing group DOT, ADR, IMDG, IATA Not regulated. · Environmental hazards · Marine pollutant: No · Special precautions for user Warning: Gases (Cont'd. on page 12)

Page: 12/13

# **Safety Data Sheet**

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 03/14/2016 Revision: 03/14/2016

Trade name: Touch 'n Seal Quick Cure High Yield Straw Foam

(Cont'd. of page 11)

Danger code (Kemler):

· EMS Number: F-D,S-U

Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

## 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- ·SARA

· Section 355 (extremely	hazardous substances):
--------------------------	------------------------

None of the ingredients are listed.

- · Section 313 (Specific toxic chemical listings):
- 9016-87-9 diphenylmethanediisocyanate, isomeres and homologues
  - 101-68-8 4,4'-methylenediphenyl diisocyanate
- · TSCA (Toxic Substances Control Act)

All ingredients are listed.

- · Proposition 65 (California)
- · Chemicals known to cause cancer:
- 13674-87-8 tris[2-chloro-1-chloromethyl)ethyl] phosphate
- · Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

· Carcinogenic categories

• EPA (Environmental Protection Ad	(aencv):
------------------------------------	----------

9016-87-9	diphenylmethanediisocyanate,isomeres and homologues	CBD
101-68-8	4,4'-methylenediphenyl diisocyanate	D, CBD
156-60-5	trans-dichloroethylene	II

### IARC (International Agency for Research on Cancer):

9016-87-9 diphenylmethanediisocyanate,isomeres and homologues	3	
101-68-8 4,4'-methylenediphenyl diisocyanate	3	

NIOSH-Ca (National Institute for Occupational Safety and Health):

None of the ingredients are listed.

(Cont'd. on page 13)

Page: 13/13

# Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 03/14/2016 Revision: 03/14/2016

Trade name: Touch 'n Seal Quick Cure High Yield Straw Foam

(Cont'd. of page 12)

· Canada

Canadian substance listings

· Canadian Domestic Substances List (DSL):

All ingredients are listed.

Canadian Ingredient Disclosure list (limit 0.1%):

101-68-8 4,4'-methylenediphenyl diisocyanate

Canadian Ingredient Disclosure list (limit 1%):

None of the ingredients are listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Date of preparation / last revision 03/14/2016 / -

· Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Flam. Gas 1: Flammable gases, Hazard Category 1

Flam. Aerosol 2: Flammable aerosols, Hazard Category 2

Press. Gas: Gases under pressure: Compressed gas

Flam. Liq. 2: Flammable liquids, Hazard Category 2 Acute Tox. 4: Acute toxicity, Hazard Category 4

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A

Resp. Sens. 1: Sensitisation - Respirat., Hazard Category 1

Skin Sens. 1: Sensitisation - Skin, Hazard Category 1

Carc. 2: Carcinogenicity, Hazard Category 2

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2

Sources

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com